

One-Time Hepatitis C Testing

[*https://www.hcvguidelines.org/evaluate/testing-and-linkage](https://www.hcvguidelines.org/evaluate/testing-and-linkage)

- All patients ≥ 18 years old, one-time, routine, opt-out
- Patients <18 years old if at risk activities/exposures/conditions
- Routine prenatal care
- Annual testing for PWID, HIV-infected MSM, and MSM taking pre-exposure prophylaxis
- Periodic testing for persons at risk (see full list of at risk activities/exposures/conditions through link above)

Order *Hepatitis C Antibody with Reflex to PCR (LAB868)*

HCV Antibody Positive
HCV PCR Negative

- The positive antibody is either from prior infection with resolution vs false positive antibody test
- Patients should be counseled they are not immune to hepatitis C virus

The patient does **NOT** have hepatitis C infection
No further testing/treatment is indicated

HCV Antibody Negative

HCV Antibody Positive
HCV PCR Positive

Active HCV Infection
*Consider for treatment if life expectancy is >12 months

Order: (Search for HCV positive Orders for the order panel)

- HCV Genotype (LABR2207)
- Hepatitis B surface Antigen (LAB471)
- Hepatitis B core total Antibody (LABR239)
- HIV (LAB473)
- Fibroscan for HCV (FIB33)
 - FibroTest (LABR2123) if unable to get Fibroscan
- Referral to Infectious Disease (REF37) or Hepatology (REF157) for treatment

PROVIDER DECISION SUPPORT
6/29/2021 Dr. J. Newton

